








**Price list of rapid deployment camera systems for
CONSTRUCTION SITES
CAMSAT 2019**

below prices are netto and do not include VAT 23% tax
valid since 01.04.2019

Group	Index	Model	Picture	Description and features	Technical parameters	Discount	Netto retail price
iConstruction-CAM rapid deployment LTE system for remote observation of CONSTRUCTION SITES							
Without camera - main unit for any IP camera							
Construction	1060	iConstruction-CAM BACK (compatible with Hikvision, Dahua,...)		<p>Rapid deployment LTE system for remote video observation of construction sites and progress of construction works - without an IP camera.</p> <p>Mechanically adapted to mount almost any PTZ IP camera of such brands as: Hikvision and Dahua</p> <p>Key features:</p> <ul style="list-style-type: none"> * 4G / LTE - YES (1xSIM) * Battery - YES (4h) * Automatic battery charging with 230V - YES * Mobility and quick slide assembly - YES * Compatible with cameras and NVR Hikvision / Dahua - YES * Camera - NO 	<p>Technical parameters: 4G / LTE transmission, 1x SIM socket, 1x LAN port with PoE, 230V AC power supply, emergency power supply for 4h, pole / wall fast mounting socket, mechanical adapter for attaching a Dahua or Hikvision PTZ camera, built-in battery charger - YES, external IP66.</p> <p>Camera parameters: Does not contain a camera. Use your own IP camera from any manufacturer.</p> <p>Working time on the battery: depends on the power consumption of the camera - 4-8h</p> <p>Includes: iConstruction-CAM BACK, antenna, quick assembly GE-Mobile II x 1 pcs, mounting accessories x 1 pc.</p> <p>Recommended accessories: Mounting adapter for cameras: Bosch, Axis, Aviglion, Novus, UNV, IDIS, Flir, GANZ and others; Mounting adapter for bullet cameras; LTE simCAM card; iCAM-BOX, WiFi;</p> <p>In the case of delivery of an IP camera to CAMSAT, the product will be sent back fully configured and ready for operation.</p>	iCAM	€ 1 333,00
Sets - main unit with cameras							
Construction	1061	iConstruction-CAM x25 (with PTZ camera Dahua or Hikvision)		<p>Rapid deployment LTE system for remote video observation of construction sites and progress of construction works - with PTZ camera with optical zoom x25.</p> <p>Key features:</p> <ul style="list-style-type: none"> * as in iConstruction-CAM BACK * Camera - YES (PTZ zoom x25, IR 150 m) * Video recording for 7-10 days 	<p>Technical parameters: Identical to iConstruction-CAM BACK</p> <p>Camera parameters: 2 Mpix 1080p, Day / Night, sensitivity: 0.005 Lux / F1.6 (color), 0.0005 Lux / F1.6 (B / W), optical zoom x25, IR illuminator for 150 m, h265 +, lens: 4.8 ~ 120mm, AWB, AGC, ATW, BLC, HLC, EIS, 2D / 3D DNR, WDR 120dB, RoI, Defog, intelligent image analysis (IVS) functions: Auto Tracking, virtual line crossing, intrusion detection, face detection and appearance / disappearance of the object.</p> <p>Observation range: Event detection: from a distance of 1613 m, Observation: 646 m, Diagnosis: 323 m, Identification: 161 m</p> <p>Working time on the battery: up to 4 hours</p> <p>Includes: iConstruction-CAM BACK, PTZ camera x 1, SD128GB memory - internal registration, video recording for 7-10 days, antennas, GE-Mobile II quick assembly socket x 1 pcs., assembly accessories x 1 pc.</p>	iCAM	€ 2 230,00
Construction	1062	iConstruction-CAM x15 (with Hikvision PTZ camera)		<p>Rapid deployment LTE system for remote video observation of construction sites and progress of construction works - with PTZ camera with optical zoom x15.</p> <p>Key features:</p> <ul style="list-style-type: none"> * as in iConstruction-CAM BACK * Camera - YES (PTZ, zoom x15, IR 100 m) * Video recording for 7-10 days 	<p>Technical parameters: Identical to iConstruction-CAM BACK</p> <p>Camera parameters: 2 Mpix 1080p, Day / Night, sensitivity: 0.005 Lux (color), 0.001 Lux (B / W), optical zoom x15, IR illuminator for 100 m, h265 +, lens: 5 ~ 75 mm, AWB, ATW, AGC, BLC, HLC, EIS, WDR 120 dB, 3D DNR, ROI, Defog, functions of intelligent image analysis: virtual line crossing, intrusion detection, object appearance / disappearance.</p> <p>Observation range: Event detection: from a distance of 900 m, Observation: 380 m, Diagnosis: 180 m, Identification: 90 m.</p> <p>Working time on the battery: up to 4 hours</p> <p>Includes: iConstruction-CAM BACK, Hikvision PTZ x1 camera, SD128GB memory - internal registration of video recording for 7-10 days, antenna, quick assembly GE-Mobile II x 1 pcs. assembly accessories x 1 pc.</p>	iCAM	€ 2 130,00
Construction	1063	iConstruction-CAM DOME-2M (with fixed 2Mpix camera Dahua or Hikvision)		<p>Rapid deployment LTE system for remote video observation of construction sites and progress of construction works - with fixed wide angle camera 2Mpix (1080P).</p> <p>Key features:</p> <ul style="list-style-type: none"> * as in iConstruction-CAM BACK * Camera - YES (fixed, IR30m) * Video recording for 7-10 days 	<p>Technical parameters: Identical to iConstruction-CAM BACK</p> <p>Camera parameters: 2 Mpix 1920x1080p, Day / Night, sensitivity: 0.01 Lux (color), 0 Lux (B / W IR), IR illuminator for 30 m, h265 +, lens: 2.8-12 mm motor, AWB, ATW, AGC, BLC, HLC, EIS, WDR 120 dB, 3D DNR, ROI, motion detection, IK10</p> <p>Observation range: Event detection: from a distance of 129 m, Observation: 51 m, Diagnosis: 26 m, Identification: 13 m</p> <p>Working time on the battery: up to 4 hours</p> <p>Includes: iConstruction-CAM BACK, fixed camera x 1, SD128GB memory - internal registration, video recording for 7-10 days, antennas, quick assembly GE-Mobile II x 1 pcs, mounting accessories x 1 pc.</p>	iCAM	€ 1 797,00











Price list of rapid deployment camera systems for
CONSTRUCTION SITES
CAMSAT 2019

below prices are netto and do not include VAT 23% tax
valid since 01.04.2019

Group	Index	Model	Picture	Description and features	Technical parameters	Discount	Netto retail price
Construction	1064	iConstructionCAM Triplex DOME-2M (with 3 fixed cameras Hikvision)		Rapid deployment LTE system for remote video observation of construction sites and progress of construction works - with 3 wide angle fixed cameras 2Mpix (1080P). Key features: * as in iConstruction-CAM BACK * Camera - YES x3 (fixed, IR30m) * Video recording for 7-10 days	Technical parameters: Identical to iConstruction-CAM BACK Camera parameters: 3x 2 Mpix 1080p, Day / Night, sensitivity: 0.01 Lux (color), 0 Lux (B / W IR), optical zoom x4, IR illuminator for 30 m, H264, lens: 2.8 – 12mm moto zoom, AWB, AGC, BLC, 3D DNR, WDR 120dB, ROI, motion detection. Observation range: Events detection: from a distance of 129 m, Observation: 51 m, Diagnosis: 26 m, Identification: 13 m Working time on the battery: up to 4 hours Includes: iConstruction-CAM BACK, Hikvision camera x 3 pcs, SD128GB memory x 3 pcs, antennas, GE-Mobile II quick assembly socket x 1 pcs, mounting accessories x 1 pc.	iCAM	€ 2 463,00
Construction	1065	iConstruction-CAM X15 Duplex DOME-2M (with PTZ camera and 2 fixed cameras Hikvision)		Rapid deployment LTE system for remote video observation of construction sites and progress of construction works - with two wide angle fixed cameras 2Mpix (1080P) and one PTZ with zoom x15. Key features: * as in iConstruction-CAM BACK * Camera - YES (2 fixed cameras 2 Mpix, IR 30 m, 1 camera PTZ 2 Mpix, zoom x15, IR 100 m) * Video recording for 7-10 days	Technical parameters: Identical to iConstruction-CAM BACK Parameters of the PTZ camera: 2 Mpix 1080p, Day / Night, sensitivity: 0.005 Lux (color), 0.001 Lux (B / W), optical zoom x15, IR illuminator for 100 m, h265+, lens: 5 – 75 mm, AWB, ATW, AGC, BLC, HLC, EIS, WDR 120 dB, 3D DNR, ROI, Defog, functions of intelligent image analysis: virtual line crossing, intrusion detection, appearance / disappearance of the object. Parameters fixed cameras: 2x 2 Mpix 1080p, Day / Night, sensitivity: 0.01 Lux (color), 0 Lux (B / W IR), optical zoom x4, IR illuminator for 30 m, H265+, lens: 2.8 – 12 mm moto zoom, AWB, AGC, BLC, 3D DNR, WDR 120dB, ROI, motion detection. The range of the PTZ camera observation: Event detection: from a distance of 900 m, Observation: 380 m, Diagnosis: 180 m, Identification: 90 m Working time on the battery: up to 4 hours Includes: iConstruction-CAM BACK, Hikvision PTZ camera x 1 pcs, Hikvision fixed camera x 2 pcs, SD128GB memory 3 x pcs, antennas, GE-Mobile II quick assembly socket x 1 pcs, assembly accessories x 1 pc.	iCAM	€ 2 997,00
Construction	1066	iConstruction-CAM TimeLapse (with special camera 4Mpix)		Rapid deployment LTE system for remote video observation of construction sites and progress of construction works - with TIME LAPSE camera Intended for recording time-lapse footage for later reproduction of work, e.g. at an accelerated pace (365 days in 2 minutes). The camera is also used for remote observation of construction sites online via the Internet. Key features: * as in iConstruction-CAM BACK * Camera - YES (special camera 4 Mpix)	Technical parameters: Identical to iConstruction-CAM BACK plus a special camera with Time Lapse function Camera parameters: 4 Mpix, 2688 x 1520p, Day / Night, sensitivity: 0.03Lux / F1.4 Lux (color), 0 Lux / F1.4 (IR on) Lux (B / W), motozoom, IR illuminator at 50 m, H264, lens: 2.7 mm - 13 mm (motozoom, autofocus). Observation range: Events detection: from a distance of 208 m, Observation: 83 m, Diagnosis: 41 m, Identification: 20 m. Working time on the battery: up to 4 hours Includes: iConstruction-CAM BACK, TimeLapse camera x1, SD128GB memory - internal registration for video and photo recording, antenna, quick assembly GE-Mobile II x 1 pcs., assembly accessories x 1 pc.	iCAM	€ 1 827,00

Price list of rapid deployment camera systems for
CONSTRUCTION SITES
CAMSAT 2019

below prices are netto and do not include VAT 23% tax
valid since 01.04.2019

Group	Index	Model	Picture	Description and features	Technical parameters	Discount	Netto retail price
Options to extend functionality							
Accessories iCAM & iConstruction	1100	iCAM-Adapter Option 00 64		Option available with: * iConstruction-CAM * iCAM-MobileHD II * iCAM-PowerHD * iCAM-MiniHD II	Mounting adapter for any cameras, eg Bosch, Novus, Axis, UNV, Avigilon, etc. Adapter for mounting IP PTZ cameras with hanging pipe fitting. The set includes an adapter for mounting PTZ cameras of various brands. Ask the CAMSAT technical department for details and compatibility.	-	Individual pricing. Depends on the camera model and brand
	1102	iMount-Triplex Option 00 60		Option available with: * iConstruction-CAM * iCAM-MobileHD II * iCAM-PowerHD * iCAM-MiniHD II	Mounting adapter for up to three fixed cameras The adapter allows the installation of three fixed cameras on devices from the iCAM series. Ask the CAMSAT technical department for details and compatibility.	C	€ 187,00
	1103	iMount-Duplex Option 00 61		Option available with: * iConstruction-CAM * iCAM-MobileHD II * iCAM-PowerHD * iCAM-MiniHD II	Mounting adapter for 1 PTZ camera and 2 fixed cameras The adapter allows the installation of 1 PTZ camera and 2 fixed cameras on the iCAM series devices. Ask the CAMSAT technical department for details and compatibility.	C	€ 187,00
	1105	Lock Option 00 31		Option available with: * iConstruction-CAM * iCAM-MobileHD II * iCAM-PowerHD * iCAM-MiniHD II	Lock, padlock to protect the camera from unauthorized disassembly	C	€ 19,00
	1108	Wifi Option 00 24		Option available with: * iConstruction-CAM * iCAM-PowerHD * iCAM-MiniHD II	WiFi with a range of 50 m working in the 2.4ghz band for iCAM and iConstruction systems Wireless WiFi transmission for wireless system configuration. It enables: viewing, controlling, browsing and downloading the archive and system management.	C	€ 127,00
Accessories for rapid deployment cameras							
	1115	iCAM-BOX Option 00 48		Compatible with: * iConstruction-CAM * iCAM-MobileHD II * iCAM-PowerHD * iCAM-MiniHD II	Strong transport box for mobile systems: iCAM and iConstruction with foam filling. It enables safe transport and storage of mobile cameras. Dimensions: 60 x 50 x 35 cm	C	€ 427,00
	1116	Gniazdo GE-Mobile II Option 00 52		Compatible with: * iConstruction-CAM * iCAM-MobileHD II * iCAM-PowerHD * iCAM-MiniHD II	The universal iCAM II rapid deployment camera quick connector socket. Can be screwed to the wall or attached with steel bands to the post 80-160 mm Quick coupler socket for mounting a rapid deployment camera on a pole or façade. The installation of several such sockets in the city area enables very fast moving and installation of iCAM cameras in a new location.	C	€ 97,00
Accessories iCAM & iConstruction	1117	iCAM-TVRec Option 00 26		Compatible with: * iConstruction-CAM * iCAM-MobileHD II * iCAM-PowerHD * iCAM-MiniHD II	Online HDMI receiver for 4 iCAM cameras Receiver for viewing 4 images from iCAM cameras or iConstructionCAM on TV via the Internet. In addition, it allows you to record video images, control PTZ cameras, online preview in HD and many other options. Included: iCAM-TVRec, power supply x 1 pcs	iCAM	€ 327,00
	1118	PTZ-Keyboard Option 00 50		Compatible with: * iConstruction-CAM * iCAM-MobileHD II * iCAM-PowerHD * iCAM-MiniHD II	Keyboard controlling the PTZ camera PTZ control keyboard with 3D joystick for iCAM cameras.	-	individual pricing
	1119	PTZ-Keyboard/Video Option 00 51		Compatible with: * iConstruction-CAM * iCAM-MobileHD II * iCAM-PowerHD * iCAM-MiniHD II	Keyboard controlling the PTZ camera with the Video preview PTZ control keyboard with 3D joystick for iCAM cameras with screen for video image preview.	-	individual pricing